INSELLOFAX 14

	UA) Erreit sag	
FEB 1952 ***	A STATE OF THE PROPERTY OF THE	
	CLASSIFICATION	CENTRAL INTELLIGENCE AGENCY CONFIDENTIAL SECURITY INFORMATION 50X1-HUM
		INFORMATION REPORT REPORT
	*)	CD NO.
COUNTRY	Rumania	DATE DISTR. 4 June 1952
SUBJECT	Regional Electric	4 =//2
DATE OF INFO.		NO. OF ENCLS. CLD CHI ATE 50X1-HUM
PLACE ACQUIRED		CIRCULATE SUPPLEMENT TO REPORT NO.
AND 794, OF THE U.	TAINS INFORMATION AFFECTING THE N TES, WITHIN THE MEANING OF TITLE 1 .S. CODE, AS AMENDED. ITS TRANSM FENTS TO OR RECEIPT BY AN ONAUTHO	, SECTIONS 793. SSION OR REVE- THIS IS UNEVALUATED INFORMATION THE PERSON IS
PROHIBITED BY LAW	THE REPRODUCTION OF THIS FORM	

- 1. The control of the production and distribution of electric power in Rumania is vested in the Ministry of Electrical Energy (Ministerul Energiei Electrice) in Bucharest, which operates through Regional Electric Enterprises (IRE) (Intreprinderile Regionale de Electricitate).
- One such regional organization is the Constanta Regional Electric Enterprise (IREC) (Intreprinderea Electrica Regionale Constanta) which controls the production and the distribution of the electric power stations in the area of Constanta.
- 3. The electric power station of Constants is located in an area between Bulevardul I.V. Stalin (formerly Bulevardul Regina Maria) and Tabacariei Lake. The area is surrounded by a concrete fence, two meters high, with a gate on Bulevardul I.V. Stalin and another gate on the side of the lake. There follows a description of the Constants electric power station:
 - a. The main building is a large single-story hall divided into three sections: The Boiler Room (Sala Cazanelor), the Pump Section (Sala Pompelor) and the Turbine Section (Sala Turbinelor). In the Boiler Room there are two steam boilers of unknown dimensions and enough room for the installation of another boiler. There are also two pumps, one pumping fuel oil from the railroad tank cars into a large tank in the power station and the other pumping fuel oil from the tank to the: boiler furnaces. Two electric control panels and two large ventilators complete the equipment of this room. Extending from the Boiler Room 50X1-HUM are two chimneys. The Pump Section is equipped with a Diesel motor for auxiliary power, two large and one small electric pumps, one steam pump, two purifiers (epuratoare), one fan, one control panel, one tank

CLASSI	FICATIO	ON .	CONFIDENTIAL	No Change In Class.
STATE # X NAV	/# x	NSRB	DISTRIBUTION	Class Charged To: TS S C
ARMY # X AIR	# x	FBI	ORR EV X	Auth.: KR 70-2
				Date: By

Sanitized Copy Approved for Release 2011/02/14: CIA-RDP82-00457R012300310006-9

- 2 .-

50X1-HUM

for Diesel oil and a water basin. The Turbine Section is equipped with two turbo-generators capable of producing 4,000 kilowatts. There is enough room in this section for the installation of a third turbo-generator. Furthermore, there are two underground check points (sic) for the control of the pumps and ecodemaers, a tool room, a battery room, a welding room, a distribution panel, a water basin, and one fan.

- b. Adjacent to the main hall there is a two-story building housing a transformer scation, bathrooms, warshouses and several offices. An underground suction pipe, 50 centimeters in diameter, supplies water from Tabacariei Lake to this building. A square-shaped underground exhaust pipe 50 cm. square also leads to Tabacariei Lake.
- c. In the yard of the power plant there are nour fuel oil tanks, one large warehouse, a black and the shop, and a gasoline dump. A two-story building in the yard houses an auto repair shop, a mechanic workshop and, in the upper floor, offices and the workers' cafeteria. A guard room and an engineers' house are also located within the power plant's yard.
- d. Two transformer stations, one of 35,000/6,000 volts and the other of 6,000/380 volts A.C., are located mouth of the station beyond the fences. A large round shaped pillbox which looks like a stall private home is located north of the station outside the fence.
- 4. The electric power plant of Constanta, which supplies power explasively to the Danube River-Black Sta Canal Project, consumss 17,500 tons (sin) of fuel oil per day. (Sta Addardment a).
- 5. Another electric power station (see Attachment B) is located in the harbor of Constanta at a short distance south of the grain elevators. The plant is composed of one large mail equipped with seven generators all powered by Diesel engines. Four of the generators develop 6,000 walts A.C. each, whereas three develop 440 value D.C. The first group of generators supplies 320 volts A.C. current to the town of Constants; the latter group of generators supplies power to the harbor, to the pump stations at the oil berths (bazinul de patrol) and to the runtral workshops. In the plant there is also a large water basin and a tank for storage of Diesel oil for the station's needs.
- 6. The electric power station No. 1 at Ovilie, also called the old station, is located at a distance approximately 1,500 meters from the junction of Strada I.V. Stalin (formerly Strada Carol) and the Tulcea Highway. (See Attachment C). This plant, equipped with four generators powered by four Diesel Sultzer engines each developing 4,000 volts, produces. 50X1-HUM a total of 8,000 kilowatts at 6,000 volts. Two transformer stations lift the voltage to 35,000 for overhead transmission to the Damube River Black Sea Canal Project sites.
- 7. Electric power station No. 2, also called The Youth's Plant (Usina Tinerctului), is presently under construction. The plant is located at a distance approximately 200 meters per boost of the Ovidio railway station (see Attachment D). There follows a description of the Touch's Power Plant at Ovidio:
 - a. A square single-story building about 35 meters by 35 meters is almost completed. When ready, it will house the boilers and the generators of the plant, which will be expable of producing 40,000 kilowatts. The offices will be located in two adjacent buildings. Workshops and blackswith shops will also be located in separate buildings. The plant's 14 reception and distribution "cells" are also completed.

Sanitized Copy Approved for	- D - I 0044/00/44 .	OIA DDDOO 004E7D046	
Sanitized Conv Approved for	r Release 2017/1/17/14		/300310006-9

an	TUIN	DENT	TAT
1311	NP I	THE N.	'IAI.

- 3 -

50X1-l	ΗU	M
--------	----	---

b. Another building, 15 meters square, will reportedly serve as an oil refinery. This is presently under construction in the plant's area. The Soviet-made equipment is allegedly already installed. A channel four meters wide and three meters deep has been dug across the area of the plant. Work on this channel, which starts at Ghiolul Mare Lake and continues across the area of the plant in a southwesterly direction, is well under way.

50X1-HUM

- 8. The distribution of power in the area of Constanta, including the oil berths, is effected through a number of regional transformers. Each such regional transformer covers an area of about 1,000 to 1,500 square meters. A breakdown of any such regional transformer results in a blackout of the area it covers. Usually a minimum of two minutes is required to reestablish contact. All transformers are installed in above-ground metal cases and are secured with standard Wertheim locks. There follows a list of electric transformers and their location in the area of Constanta:
 - a. Station No. 1 (Postul No. 1) located in the Museum Building opposite the Casino.
 - b. Station No. 2 in the basement of the City Hall.
 - c. Station No. 3 in the yard of the Central Post Office.
 - d. Station No. 4 on Strada Scarlat Varnav near the former offices of the City Police.
 - e. Station No. 5 on Piata Grivitei on the highway to Mangalia.
 - f. Station No. 6 near the Town's Hospital on the Mangalia highway.
 - g. Station No. 7 on Strada Miron Costin.
 - h. Station No. 8 on Strada I.V. Stalin (formerly Strada Carol) near the Committee for Physical Culture and Sport (CCFS) (Comitetul de Cultura Fizica si Sport).
 - i. Station No. 9 on Strada V.I. Lenin #60.
 - j. Station No. 10 on Strada I.V. Stalin at the corner of Strada Flamanda.
 - k. Station No. 11 on Strada Chiliei.
 - 1. Station No. 26 at the Post Office close to the Wireless Station.
 - m. New stations were installed on the corner of Strada Stabilizarii and Strada Cerealelor, at the former Astra Romana Oil Company, at the former Steaua Romana Oil Company, at the Palas railroad station and on the Soseaua Bratianu on the outskirts of the former Bratianu district.
- 9. In July 1951 the installation of a new transformer station was completed in Eforia, south of Constanta. This transformer station, together with three existing stations in Vasile Roaita (formerly Carmen Sylva) will supply power to the Rest Houses (Casele de Odihna) for employees which are scattered throughout the villages of the Black Sea Coast.
- 10. The electrical automatic equipment (automate electrice) of the Campina Electric Power Plant was replaced during the month of August 1951. Part of the plant in Campina is thermo-electric, while another part is hydro-electric, using a water fall of the Prahova River in a canal 3 meters

000	TTTT	TILL	TITO T	4 *
COL	ALT.	ՍԵՐ	I.I.T	AL

a= Д. ...

50X1-	HU	IM
-------	----	----

wide and 1.80 meters deep. The entire power plant in Campina is capable of producing from 35,000 volts to 60,000 volts. (See Attachment E)

- 11. In Targoviste there is no local electric power station. There is, however, an important transformer station equipped with modern warning and control apparatus which is installed in a two-story building. The station is supplied with low tension power (low amperage electricity?) from somewhere in the north (probably Doicesti) by overhead cables. The electricity in the overhead cables has 60,000 volts. The transformer station is equipped with a "separator" (sic) of 60,000 volts and a transformer which increases the voltage from 60,000 to 110,000 volts. From Targoviste the electricity is carried at 110,000 volts to Bucharest by six overhead cables. (See Attachment F).
- 12. In Floresti there is an electric power plant and a recently constructed transformer station which increases the voltage of the electricity from 15,000 volts to 60,000 volts for distribution to the oil fields of Baicci and Moreni (see Attachment G). Similar electric power plants and transformer stations are at Ditesti and Gura Ocnitei.
- 13. Attached are seven sketches:
 - a. Attachment A the old Constanta Power plant
 - b. Attachment B the Constanta Power Plant in the Port
 - c. Attachment C Electric Power Station #1 in Ovidiu
 - d. Attachment D Electric Power Station #2 in Ovidiu
 - e. Attachment E Location of Electric Power Station in Campina
 - f. Attachment F Targoviste Electric Power Station

g.	Attachment	G	Floresti-Praheva	Electric	Power	Station	50X1-HUN
----	------------	---	------------------	----------	-------	---------	----------

Comment: Perhaps the amount should be gallons instead of tons.

CONFIDENTIAL

- 5 -

Legend to Attachment A


- 1. Boiler No. 1
- 2. Boiler No. 2
 3. Space for Both Space for Boiler No. 3 (not yet installed)
- 4. Pump which draws the fuel from the tanks to fill the reservoirs
- 5. Pump which sends the fuel to the boilers
- Switchboard and rheostat
- 7. Switchboard controls
- 8. Chimneys
- 9. Oil basin
- 10. Diesel engine
- 11. Switchboard
- 12. Purifiers
- 13. Two electric pumps 14. Steam pump 15. Water basin

- 16. Small electric pump
- 17. Ventilator
- 18. Transformer station
- lst and 2nd floor baths and toilet
 lst floor warehouse, 2nd floor offices
- 21. 1st and second floor warehouses
- 22. Observation posts to check the supply of pumps underneath
- 23. Turbine


- 24. Same as 22
 25. Same as 23
 26. Space for a 3rd turbine (not installed)
- 27. Tool room and cloak room
- 28. Distribution switch board
- 29. Room for electric elements for batteries
- 30. Welding room 31. Ventilator
- 32. Water basin
- 33. Suction pipe, 80 cm. in diameter (underground)
- 34. Water basin

- 35. Fuel oil basin 36. Fuel oil basin 37. Big fuel oil basin
- 38. Exhaust pipe, 50 x 50 cm. (underground)
- 39. Warehouse
- 40. Blacksmith shop
 41. Building containing: a/garage, b/access to the first floor, c/auto repair shop, d/mechanic workshop. On the first floor - offices and canteen
- 42. Gasoline barrels storage
- 43. Fuel oil basin

- 44. Guardhouse
 45. Engineer's home
 46. Fence of the plant, two meters high
 47. Roads to the plant
- 48. Railroad unloading platform
- 49. Railroad
- 50. Transformer post 6000/380 A.C.
- 51. Transformer post 35,000/6,000 A.C. 52. Pillbox 53. Private home



Sanitized Copy Approved for Release 2011/02/14 : CIA-RDP82-00457R012300310006-9



Sanitized Copy Approved for Release 2011/02/14: CIA-RDP82-00457R012300310006-9

CONFIDENTIAL

- 8 -
SOX1-HUM

Attachment C

OVIDIU
ELECTRIC PORE STATION &
- April 3 KETCH
1. Twenty barracks housing Rumanian soldiers working at the station of 4,000 volts capacity

7. Distribution switchboard

1. Twenty barracks housing Rumanian soldiers working at the station of 4,000 volts capacity

2. Distribution switchboard

1. Twenty barracks housing Rumanian soldiers working at the station of 4,000 volts capacity

3. Distribution switchboard

4. Two transformer posts which step up the current from 6,000 to 35,000 volts


5. Offices

Sanitized Copy Approved for Release 2011/02/14: CIA-RDP82-00457R012300310006-9


Attachment E

- 10
1. The electric power station
2. A transformer post of 60,000 volts
3. Dam to collect the waters of the Prahova River
4. Canal leading the waters to the Station

CAMPINA _
LOCATION OF THE ELECTRIC FOWER STATION _
-ROUGH SMETCH _



Sanitized Copy Approved for Release 2011/02/14 : CIA-RDP82-00457R012300310006-9



50X1-HUM